


الأمراض المنقولة جنسياً

Sexually Transmitted Diseases



biolab
مختبر بيلاب الطبي



ما هي الأمراض المتنقلة جنسياً؟

الأمراض التي تنتقل عن طريق الاتصال الجنسي هي الأمراض التي يمكنك أن تحصل عليها من ممارسة الجنس مع شخص مصاب بالمرض. هناك أكثر من ٢٠ نوع من الأمراض المتنقلة جنسياً التي تؤثر على الرجال والنساء معاً، والتي تتسبّب بها البكتيريا والطفيليات وأو الفيروسات.

CAUSATIVE AGENTS OF GENITAL INFECTIONS



١

الأمراض المتنقلة جنسياً

هل أنت في خطر الإصابة؟

- بعض العوامل التي تزيد من فرصة الإصابة بالأمراض المنقوله جنسياً وهي:
 - الناشط الجنسي في سن مبكرة - كلما صغر سن الشخص الذي يبدأ بمارس الجنس كلما كانت فرصة الإصابة له أو لها بعدهن الأمراض المنقوله جنسياً أكبر.
 - وجود شريك جنس مثلاً لهين.
 - ممارسة الجنس بدون طرق حماية.

كيف يمكنني منع / تقليل فرص الإصابة بالأمراض المنقوله جنسياً؟

- الامتناع عن جميع أنواع التصال الجنسي (مع الشخص المصاب) - أو على الأقل، أفضل طريقة للتقليل من فرص الإصابة بالأمراض المنقوله جنسياً هو استخدام الواقي الذكري.
- الاستمرار في علاقه طوريه الأعد مع شريك واحد، حيث يكون شريكك دائمًا من الأمراض الجنسية.
- الفحص بشكيل منتظم للأمراض التناسلية للنساء أو الرجال.
- تلذيه إقامه العلاقات الجنسيه لأطول وقت ممكن.
- إجراء فحوصات منتظرمه.

- تحتب ممارسة الجنس أثناء فترة الحيض
- تحبت ممارسة الجنس من الشرج
- معرفة أمراض الأفراد المنقوله جنسياً



كيف يمكنني الفحص لذاته

Type	Symptoms	Complications
1. Chlamydia <i>Causing agent:</i> Chlamydia trachomatis	<p>Usually mild or absent, but if present:</p> <p>Women:</p> <ul style="list-style-type: none"> • Abnormal vaginal discharge • Burning sensation when urinating • Lower abdominal pain during intercourse • Bleeding between menstrual periods <p>Men :</p> <ul style="list-style-type: none"> • Discharge from their penis 	<p>Women :</p> <ul style="list-style-type: none"> • Cause pelvic inflammatory disease • Infertility <p>Men:</p> <ul style="list-style-type: none"> • Pain , fever • Rarely sterility
2. Human Papillomavirus (HPV) <i>Causing agent:</i> Papillomavirus	<p>Most people do not develop symptoms.</p> <p>Some types of HPV can cause:</p> <p>(in both men and women)</p> <ul style="list-style-type: none"> • Genital warts • Cervical / Anal cancer 	(none)



Type	Symptoms	Complications
3. Genital Herpes <i>Causing agent:</i> Herpes Simplex Virus type 1 or 2	<ul style="list-style-type: none"> •Genital sores •Flu-like symptoms including fever and swollen glands •Pain , itching ,and burning •Discharge from the penis or vagina 	Herpes can make people more susceptible to HIV infection
4. Gonorrhoea <i>Causing agent:</i> Neisseria gonorrhoeae	<p>Men:</p> <ul style="list-style-type: none"> •Burning sensation when urinating •White, yellow, or green discharge from the penis •Painful or swollen testicles <p>Women:</p> <ul style="list-style-type: none"> •Painful or burning sensation when urinating •Increased vaginal discharge •Vaginal bleeding between periods 	<p>Men:</p> <ul style="list-style-type: none"> •Can cause epididymitis, that may lead to infertility if left untreated <p>Women:</p> <ul style="list-style-type: none"> •Cause pelvic inflammatory disease (PID)



٤

Type	Symptoms	Complications
5. Syphilis <i>Causing agent:</i> Treponema pallidum	Primary stage: •Appearance of a single sore Secondary stage: •Skin rash and mucous membrane lesions •Fever, swollen lymph nodes, weight loss, and muscle aches.	Primary stage : •The disease may subsequently damage the internal organs of the body. •Difficulty coordinating muscle movements, paralysis, numbness, and dementia.
6. Trichomoniasis <i>Causing agent:</i> Trichomonas vaginalis	Men : •Irritation inside the penis , or mild discharge •Slight burning after urination or ejaculation Women: •Yellow-green vaginal discharge with a strong odor •Discomfort during intercourse and urination •Irritation and itching of the genital area	Increases susceptibility to HIV infection



Type	Symptoms	Complications
7. Hepatitis B <i>Causing agent:</i> Hepatitis B virus	<ul style="list-style-type: none"> •Nausea •Vomiting and loss of appetite. •Abdominal pain •Jaundice , weakness, and brown urine 	<ul style="list-style-type: none"> •Liver cirrhosis •Liver cancer
8. Hepatitis C <i>Causing agent:</i> Hepatitis C virus	<ul style="list-style-type: none"> •Decreased appetite •Fatigue, and abdominal pain •Jaundice •Itching •Flu-like symptoms 	<ul style="list-style-type: none"> •Liver scarring (fibrosis) •Liver cirrhosis
9. AIDS <i>Causing agent:</i> Human Immunodeficiency Virus (HIV)	<ul style="list-style-type: none"> •Extreme weakness or fatigue •Rapid weight loss •Frequent fevers •Heavy sweating at night •Swollen lymph glands •Chronic diarrhea •Females may also experience severe vaginal yeast infections, as well as Pelvic inflammatory disease (PID) 	<ul style="list-style-type: none"> •Opportunistic infections develop, HIV affects nearly every organ system •Development of various cancers (Kaposi's sarcoma, cervical cancer, and lymphomas)



ما الذي يمكنني فعله حال ذلك؟

- التماس الزعامة الطبية - لا تدع المرض يسيطر على تفكيرك الصادق بأحد الأعراض المنقوله جنسياً و يمنعك من التماس العناية الطبية، الانتظار لرؤيه طبيب قد يسمح للمرض بالتقدم و التسبب بالمتزيد من الضرر.
- إخبار شريكك المصابين، وحلهم على إجراء الفحوصات الالازمة.
- تجنب النشاط الجنسي أثناء العلاج



٧



الدوار الخامس

- ١٣ شارع خليل عزعل (مجمع خانها الطبي)
- ١٤ شارع سليمان الحديدي (عمارة جميرا)
- ١٥ شارع سليمان الحديدي (عيادات عبدون)
- ١٦ شارع سليمان الحديدي (مجمع أبواب الطبي)

جبل عمان

- ١٧ شارع ابن خلدون (مجمع القريلى الطبو)
- ١٨ شارع ابن خلدون (مركز الياسمين الطبو)
- ١٩ شارع أبو قرائين التمهذى (مسنلشى عبد العادى)

برامور وادي المسير

- ٢٠ شارع حسني صوبر (مجمع الجلوبل التجارى)

الم giove

- ٢١ شارع راجور، بجانب البنك الاسلامي الاردني

الشمساني

- ٢٤ شارع حلبي بن اسحق
- مطابق طوارئ المستشفى التخصصى

الفحص

- شارع الامير علي بن الحسين
- (مجمع الفحص بزار)

أربد

- بجانب مجمع سكرنات عمان (صيداوي سلندر)



+962 6 5907000



www.biolab.jo



ps@biolab.jo

6th Circle

- 13 Khalil Masaal St., Hanania Medical Center
- 13 Suleiman Hadidi St., Jumeaan Building
- 15 Suleiman Hadidi St., Abdoun Clinics
- 20 Suleiman Hadidi St., Ayoub Medical Center

4th Circle

- 52 Ibn Khaldoun St., Qurani Medical Center
- 12 Ibn Khaldoun St., Yasmeen Medical Center
- 31 Abu Firas Al Hamadani St., Abdulhadi Hospital

Bayader Wadi El Seer

- 16 Hosni Sober St., Jandweel Complex

Khalda - Tla' Al Ali

- 48 Waifi Al-Tal St., Jerelsat Complex
- 238 Waifi Al-Tal St.,
- City Mall - Floor (P1)

Nas Al Tasmin

- 93 Jabal Arafat St., Nasr Commercial Building

Marj Al Hamam

- Prince Asem Bin Nayef St., Bardini Circle

Jubalha

- 63 Yajoz St., Next to Jordan Islamic Bank

Shmeisani

- 4 Hunayn ibn Ishaq St., Near Specialty Hospital

Fuhais

- Prince Ali Bin Al Hussein St., Kaiser Plaza Complex

Tibid

- Next to Amman Transportation Complex, Sidawi Center

If I have an STD, What Can I Do About It?

- **SEEK MEDICAL CARE.** do not let embarrassment at the thought of having an STD keep you from seeking medical attention; waiting to see a doctor may allow a disease to progress and cause more damage.
- Notify sexual contacts and urge them to have a checkup.
- Avoid sexual activity while being treated.



Type	Symptoms	Complications
7. Hepatitis B <i>Causing agent:</i> Hepatitis B virus	<ul style="list-style-type: none"> *Nausea *Vomiting and loss of appetite. *Abdominal pain *Jaundice , weakness, and brown urine 	<ul style="list-style-type: none"> *Liver cirrhosis *Liver cancer
8. Hepatitis C <i>Causing agent:</i> Hepatitis C virus	<ul style="list-style-type: none"> *Decreased appetite *Fatigue, and abdominal pain *Jaundice *Itching *Flu-like symptoms 	<ul style="list-style-type: none"> *Liver scarring (fibrosis) *Liver cirrhosis
9. AIDS <i>Causing agent:</i> Human Immunodeficiency Virus (HIV)	<ul style="list-style-type: none"> *Extreme weakness or fatigue *Rapid weight loss *Frequent fevers *Heavy sweating at night *Swollen lymph glands *Chronic diarrhea *Females may also experience severe vaginal yeast infections, as well as Pelvic Inflammatory disease (PID) 	<ul style="list-style-type: none"> *Opportunistic infections develop, HIV affects nearly every organ system *Development of various cancers (Kaposi's sarcoma, cervical cancer, and lymphomas)

Type	Symptoms	Complications
5. Syphilis <i>Causing agent:</i> Treponema pallidum	Primary stage : •Appearance of a single sore Secondary stage: •Skin rash and mucous membrane lesions •Fever, swollen lymph nodes, weight loss, and muscle aches.	Primary stage : •The disease may subsequently damage the internal organs of the body. •Difficulty coordinating muscle movements, paralysis, numbness, and dementia.
6. Trichomoniasis <i>Causing agent:</i> Trichomonas vaginalis	Men : •Ititation inside the penis , or mild discharge •Slight burning after urination or ejaculation Women: •Yellow-green vaginal discharge with a strong odor •Discomfort during intercourse and urination •Ititation and itching of the genital area	Increases susceptibility to HIV infection



Type	Symptoms	Complications
3. Genital Herpes <i>Causing agent:</i> Herpes Simplex Virus type 1 or 2	<ul style="list-style-type: none"> •Genital sores •Flu-like symptoms including fever and swollen glands •Pain , itching ,and burning •Discharge from the penis or vagina 	Herpes can make people more susceptible to HIV infection
4. Gonorrhea <i>Causing agent:</i> Neisseria gonorrhoeae	<p>Men:</p> <ul style="list-style-type: none"> •Burning sensation when urinating •White, yellow, or green discharge from the penis •Painful or swollen testicles <p>Women:</p> <ul style="list-style-type: none"> •Painful or burning sensation when urinating •Increased vaginal discharge •Vaginal bleeding between periods 	<p>Men:</p> <ul style="list-style-type: none"> •Can cause epididymitis, that may lead to infertility if left untreated <p>Women:</p> <ul style="list-style-type: none"> •Cause pelvic inflammatory disease (PID)



How Can I Test For It?

Type	Symptoms	Complications
1. Chlamydia <i>Causing agent:</i> Chlamydia trachomatis	<p>Usually mild or absent, but if present:</p> <p>Women:</p> <ul style="list-style-type: none"> * Abnormal vaginal discharge * Burning sensation when urinating * Lower abdominal pain during intercourse * Bleeding between menstrual periods <p>Men:</p> <ul style="list-style-type: none"> * Discharge from their penis 	<p>Women :</p> <ul style="list-style-type: none"> *Cause pelvic inflammatory disease *Infertility <p>Men:</p> <ul style="list-style-type: none"> *Pain , fever *Rarely sterility
2. Human Papillomavirus (HPV) <i>Causing agent:</i> Papillomavirus	<p>Most people do not develop symptoms.</p> <p>Some types of HPV can cause:</p> <p>(in both men and women)</p> <ul style="list-style-type: none"> *Genital warts *Cervical / Anal cancer 	(none)



Am I at Risk?

Some of the risk factors that increase your chance of getting an STD are:

- Being sexually active at a young age – the younger the person starts having sex, the greater his or her chances of becoming infected with an STD
- Having different sex partners
- Unprotected sex.

How Can I Prevent/Minimize STDs?

- Abstain from all types of sexual contact – or at least, the best way to reduce the chance of getting an STD is by using a condom
- Be in a long-term mutually monogamous relationship with a partner who has been tested and is known to be uninfected
- Get regular gynecological or male genital examinations
- Delay having sexual relations as long as possible
- Have regular checkups
- Avoid having sex during menstruation
- Avoid anal intercourse
- Learn the symptoms of STDs!



What are STDs?


Sexually Transmitted Diseases (STDs) are infections that you can get from having sex with someone who has the infection. There are more than 20 types of STDs that affect both men and women, and are caused by bacteria, parasites and/or viruses.

CAUSATIVE AGENTS OF GENITAL INFECTIONS



الأمراض المنقولة جنسياً

Sexually Transmitted Diseases



biolab
مختبر بيلاب الطبي

